

PRODUCTS FOR BUSINESS

PRODUCTS FOR **CONSUMERS**

ABOUT US ▷

Search

3M United States >

3M[™] Tape Primer 94, Light Yellow, 0.66 mL, Ampule, 1000 per case

3M ID 70016054846, 3M Product Number 94, UPC 00021200242168





View Images

- Promotes adhesion to polyethylene, polypropylene, ABS, PET/PBT blends and other on difficult to stick to substrates
- Commonly used for increasing adhesion of film and vinyl graphics in automotive detailing
- Can be applied with brush or swab for small areas and a pressurized flow gun for larger areas More...

View all details

Details

- Promotes adhesion to polyethylene, polypropylene, ABS, PET/PBT blends and other on difficult to stick to substrates
- Commonly used for increasing adhesion of film and vinyl graphics in automotive detailing
- Can be applied with brush or swab for small areas and a pressurized flow gun for larger areas
- Dries to a clear finish
- Cleans up with isopropyl alcohol

3M™ Tape Primer 94 can be used to improve the overall adhesion of tape, film and vinyl graphics to polyethylene, polypropylene, ABS, PET/PBT blends, concrete, wood, glass, metal and painted metal surfaces.

Dries in Minutes for Efficient Use

Make sure your surface is clean and dry before applying a thin, uniform coat of 3M™ Tape Primer 94. The primed surface must remain free from contaminants prior to applying the tape. It's important to use the minimum amount of product necessary as over applying can cause suboptimal results. Allow the primer to dry completely, which is usually accomplished in 5 minutes at room temperature, before applying tape. Special note: porous surfaces may require 2 applications for uniform coverage and good adhesion. Allow your first application of primer to dry before applying a second coat.





For use on many plastic, rubber, painted and bare metal substrates

Application Tips

3M[™] Tape Primer 94 may be applied with a brush, swab, pressurized flow gun, knurled roller or similar type of equipment and can be removed with isopropyl alcohol. Vigorous scrubbing may be required.

3M™ Tape Primer 94 is used to improve overall adhesion of tape, film and vinyl graphics

Resources

Data Sheets

SDS

3M[™] Tape Primer 94 (PDF, 20.9KB)

3M™ Primer 94 (Ampoules) (PDF)

Customer Reviews

Reviews

Be the first to review this product

Large Volume Order

If you are considering a large purchase of this or other 3M Industrial Adhesives and Tape products, our inside sales team is ready to help by providing additional information and options. Our technical expertise, customer support, and global capabilities put us in a unique position to address your biggest challenges, and we'll do our best to prove that we should be your supplier of choice.

All fields are required unless indicated optional

* First Name		
*Last Name		
*Company		
*Company Address		
*Contact Phone		
*Email Address		
* Country/Region		
Select One		V
*City		
*Zip Code		



☐ Subscribe to our mailing list

3M takes your privacy seriously. 3M and its authorized third parties will use the information you provided in accordance with our <u>Privacy Policy</u> to send you communications which may include promotions, product information and service offers.

Please be aware that this information (including the original and the subsequent reply) may be transferred to a server located in the U.S. for metrics and storage. If you do not consent to this use of your personal information, please do not use this system.

SUBMIT

3M United States

PRODUCTS	INDUSTRIES	BRANDS	HELP	NEWS
Abrasives	Automotive	Post-it	Help Center	News Center
Adhesives & Tapes	Commercial Solutions	Scotch	Site Map	Particles by 3M
Advanced Materials	Consumer	Scotch-Brite		Press Releases
Films	Design & Construction	Command	REGULATORY	ABOUT US
Filtration	Electronics	Filtrete	REGULATORT	ABOUT US
View All Products	Energy	Nexcare Scotch Painter's Tape View All Brands	SDS, RDS, More Regulatory &	About 3M
	Government		Compliance	3M Careers
	Health Care		Information	Investor Relations
	Manufacturing		Transport Information Search	Partners & Suppliers
	Mining, Oil & Gas		Transparency in	Sustainability
	Safety		Supply Chains and	3Mgives
	Transportation		Modern Slavery Disclosures	Ethics & Compliance
	<u>,</u>			
			US Ingredient Communication	
			<u> </u>	
			SEARCH 3M	
			Search	Q





The brands listed above are trademarks of 3M.

FOLLOW US